

Vedlegg 1. Liste hentet fra http://www.ospar.org/eng/html/habitat_mapping.htm

2004¹ Initial OSPAR List of Threatened and/or Declining Species and Habitats
(Reference Number: 2004-06)²

PART I : SPECIES

SCIENTIFIC NAME	Common name		OSPAR Regions ³ where the species occurs	OSPAR Regions ³ where the species is under threat and/or in decline
	English	French		
INVERTEBRATES				
<i>Arctica islandica</i> (Linnæus, 1767)	Ocean quahog	<i>praire d'Islande</i>	I, II, III, IV	II
<i>Megabalanus azoricus</i> (Pilsbry, 1916)	Azorean barnacle	<i>balane des Azores</i>	V	All where it occurs
<i>Nucella lapillus</i> (Linnæus, 1758)	Dog whelk	<i>pourpre</i>	All	II, III, IV
<i>Ostrea edulis</i> (Linnæus, 1758)	Flat oyster	<i>huître plate</i>	I, II, III, IV	II
<i>Patella ulysiponensis aspera</i> (Röding, 1798)	Azorean limpet	<i>patelle des Azores</i>	V	All where it occurs

¹ Note: OSPAR 2003 adopted the Initial List of Threatened and/or Declining Species and Habitats. OSPAR 2004 updated this list with the addition of two further fish species and four further habitats and made some further editorial changes.

² The cover text to the list was updated in January 2005 to reflect the revised Strategy adopted in 2003.

³ The OSPAR Regions are:

- I - the Arctic:** the OSPAR maritime area north of latitude 62°N, but also including Iceland and the Færøes;
- II - the Greater North Sea:** the North Sea, the English Channel, the Skagerrak and the Kattegat to the limits of the OSPAR maritime area, bounded on the north by latitude 62°N, on the west by longitude 5°W and the east coast of Great Britain, and on the south by latitude 48°N;
- III - the Celtic Seas:** the area bounded by, on the east, longitude 5°W and the west coast of Great Britain and on the west by the 200 metre isobath (depth contour) to the west of 6°W along the west coasts of Scotland and Ireland;
- IV - the Bay of Biscay/Golfe de Gascogne and Iberian coasts:** the area south of latitude 48°N, east of 11°W and north of latitude 36°N (the southern boundary of the OSPAR maritime area);
- V - the Wider Atlantic:** the remainder of the OSPAR maritime area.

SCIENTIFIC NAME	Common name		OSPAR Regions where the species occurs	OSPAR Regions where the species is under threat and/or in decline
	English	French		
BIRDS				
<i>Larus fuscus fuscus</i> (Linnæus, 1758)	Lesser black-backed gull	<i>goéland brun</i>	I	All where it occurs
<i>Polysticta stelleri</i> (Pallas, 1769)	Steller's eider	<i>eider de Steller</i>	I	All where it occurs
<i>Puffinus assimilis baroli</i> (auct. incert.)	Little shearwater	<i>puffin obscur</i>	V	All where it occurs
<i>Sterna dougallii</i> (Montagu, 1813)	Roseate tern	<i>sterne de dougall</i>	II, III, IV, V	All where it occurs
<i>Uria aalge</i> (Pontoppidan, 1763) – Iberian population (synonyms: <i>Uria aalge albionis</i> , <i>Uria aalge ibericus</i>)	Iberian guillemot	<i>guillemot marmette</i>	IV	All where it occurs
FISH				
* <i>Acipenser sturio</i> (Linnæus, 1758)	Sturgeon	<i>esturgeon commun</i>	II, IV	All where it occurs
* <i>Alosa alosa</i> (Linnæus, 1758)	Allis shad	<i>alose vraie</i>	II, III, IV	All where it occurs
* <i>Cetorhinus maximus</i> (Gunnerus, 1763)	Basking shark	<i>requin pèlerin</i>	All	All where it occurs
<i>Coregonus lavaretus oxyrinchus</i> (Linnæus, 1758)	Houting	<i>corégone oxyringue</i>	II	All where it occurs
* <i>Dipturus batis</i> (Linnæus, 1758) (synonym: <i>Raja batis</i>)	Common Skate	<i>pocheteau gris</i>	All	All where it occurs
* <i>Raja montagui</i> (Fowler, 1910) (synonym: <i>Dipturus montagui</i>)	Spotted Ray	<i>raie douce</i>	II, III, IV, V	All where it occurs
* <i>Gadus morhua</i> (Linnæus, 1758) – populations in the OSPAR regions II and III ⁴	Cod	<i>Cabillaud (morue)</i>	All	II, III
<i>Hippocampus guttulatus</i> (Cuvier, 1820) (synonym: <i>Hippocampus ramulosus</i>)	Long-snouted seahorse	<i>cheval de mer (hippocampe) à bec long</i>	II, III, IV, V	All where it occurs
<i>Hippocampus hippocampus</i> (Linnæus, 1758)	Short-snouted seahorse	<i>cheval de mer (hippocampe) à museau court</i>	II, III, IV, V	All where it occurs

⁴ That is, the populations/stocks referred to in ICES advice as the North Sea and Skagerrak cod stock, Kattegat cod stock, Cod west of Scotland, Cod in the Irish Sea, Cod in the Irish Channel and Celtic Sea.

* <i>Hoplostethus atlanticus</i> (Collett, 1889)	Orange roughy	<i>hoplostète orange</i>	I, V	All where it occurs
<i>Petromyzon marinus</i> (Linnæus, 1758)	Sea lamprey	<i>lamproie marine</i>	I, II, III, IV	<i>All where it occurs</i>
* <i>Salmo salar</i> (Linnæus, 1758)	Salmon	<i>saumon de l'Atlantique</i>	I, II, III, IV	All where it occurs⁵
* <i>Thunnus thynnus</i> (Linnæus, 1758)	Bluefin tuna	<i>thon rouge</i>	V	All where it occurs⁶

⁵ In accordance with the comments of ICES in its review, the varying states of the numerous different stocks have to be taken into account.

⁶ The main threat is the high rate of catch of juvenile fish of the species (SCRS Report, page 59).

SCIENTIFIC NAME	Common name		OSPAR Regions where the species occurs	OSPAR Regions where the species is under threat and/or in decline
	English	French		
REPTILES				
<i>Caretta caretta</i> (Linnæus, 1758)	Loggerhead turtle	<i>caouanne</i>	IV, V	All where it occurs
<i>Dermochelys coriacea</i> (Vandelli, 1761)	Leatherback turtle	<i>tortue luth</i>	All	All where it occurs
MAMMALS				
<i>Balaena mysticetus</i> (Linnæus, 1758)	Bowhead whale	<i>baleine franche boréale</i>	I	All where it occurs
<i>Balaenoptera musculus</i> (Linnæus, 1758)	Blue whale	<i>baleine bleue</i>	All	All where it occurs
<i>Eubalaena glacialis</i> (Müller, 1776)	Northern right whale	<i>baleine franche noire</i>	All	All where it occurs
<i>Phocoena phocoena</i> (Linnæus, 1758)	Harbour porpoise	<i>marsouin</i>	All	II, III

PART II - HABITATS

DESCRIPTION	OSPAR Regions where the habitat occurs	OSPAR Regions where such habitats are under threat and/or in decline
HABITATS		
Carbonate mounds	I, V	V⁷
Deep-sea sponge aggregations	I, III, IV, V	All where they occur
Oceanic ridges with hydrothermal vents/fields	I, V	V
Intertidal mudflats	I, II, III, IV	All where they occur
Littoral chalk communities	II	All where they occur
<i>Lophelia pertusa</i> reefs	All	All where they occur
Maerl beds	All	III
<i>Modiolus modiolus</i> beds	All	All where they occur
Intertidal <i>Mytilus edulis</i> beds on mixed and sandy sediments	II, III	All where they occur
<i>Ostrea edulis</i> beds	II, III, IV	All where they occur
<i>Sabellaria spinulosa</i> reefs	All	II, III
Seamounts	I, IV, V	All where they occur⁸
Sea-pen and burrowing megafauna communities	I, II, III, IV	II, III
<i>Zostera</i> beds	I, II, III, IV	All where they occur

⁷ To be confirmed in the light of further survey work being undertaken by Ireland

⁸ A search for further evidence will be made.